

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	54	("20010036818" "20030081781" "3737778" "4241451" "4286283" "4789837" "5014130" "5390215" "5634207" "5642071" "5805460" "5994689" "6211718" "6212369" "6308058" "6385439" "6512544" "6628328" "6633194" "6741139" "6801253" "6823178" "6850742" "6853690" "6873836" "6879817"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/19 16:35
L2	0	L1 and (frequency same aperture same (resistor or resistance))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/19 16:35
S1	0	((down adj1 convert\$4 or downconvert\$4 or downconversion) with signal) same (capcitor and transistor and inductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/02 15:06
S2	0	((down adj1 convert\$4 or downconvert\$4 or downconversion) with signal) same (capcitor and transistor and inductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/02 15:06
S3	1	((down adj1 convert\$4 or downconvert\$4 or downconversion) with signal) and (capcitor and transistor and inductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/02 15:06
S4	0	((down adj1 convert\$4 or downconvert\$4 or downconversion) with signal) and (capcitor same transistor same inductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/02 15:06
S5	1	((down adj1 convert\$4 or downconvert\$4 or downconversion) with signal) and (capcitor and transistor and inductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/02 15:07
S6	0	((down adj1 convert\$4) or downconvert\$4 or downconversion) same (capcitor and transistor and inductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/02 15:07
S7	6	((down adj1 convert\$4) or downconvert\$4 or downconversion) and (capcitor and transistor and inductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/02 15:17
S8	86	((down adj1 convert\$4) or downconvert\$4 or downconversion) same (capacitor and transistor and inductor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/09 11:28

S9	67	((down adj1 convert\$4) or downconvert\$4 or downconversion) and (capacitor same transistor same inductor same resistor) and (resonator or resonant or resonance) and (impedance or matching)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/09 14:15
S10	102	((down adj1 convert\$4) or downconvert\$4 or downconversion) and (capacitor same transistor same inductor same resistor) and (resonator or resonant or resonance) and (impedance or matching)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/09 18:13
S11	2	("5495194").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/09 14:16
S12	2	("5570056").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/09 14:17
S13	12	("9901350").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/09 14:17
S14	2	("5901350").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/09 14:19
S15	2	("5949285").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/09 14:19
S16	2	("6094084").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/09 14:20
S17	2	S16 and impedance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/09 14:20
S18	1	S16 and match\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/09 15:30
S19	1838	"L6" and amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/09 15:30

S20	2	("6094084").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/09 15:30
S21	2	S20 and amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/09 18:12
S22	17	("6836650" "5844868" "5410270" "3614630" "6813485" "6509777" "5982329" "6208636").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/05/09 18:14
S23	2	S22 and ((down adj1 convert\$4) or downconvert\$4 or downconversion) and (capacitor and transistor and inductor and resistor) and (resonator or resonant or resonance) and (impedance or matching)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/09 18:14
S24	9	(capacitor or capacitance) same (frequency with pulses) same aperture same transistor same resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/18 18:06
S25	3538	aperture with transistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/18 18:07
S26	144	(aperture with transistor) same resistor same (capacitor or capacitance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/18 18:07
S27	4	(aperture with transistor) same resistor same (capacitor or capacitance) same frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/18 18:08
S28	16	(aperture near3 transistor) same resistor same (capacitor or capacitance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/18 18:09
S29	109	(aperture adj2 transistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/18 18:11
S30	29	(control\$4 and capacitance and resistor and transistor and aperture).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/18 18:12